


Rundschalldämpfer

Wirklänge 750 mm

Silencer, Circular

Effective Length 750 mm




Ø d	PVC-U, PVC-UV			PPs, PP, PE, PVDF		
	D	s	kg	D	s	kg
0110-07,5	315	3,0	8,0	315	3,0	6,0
0125-07,5	315	3,0	9,0	315	3,0	7,0
0140-07,5	355	3,0	10,0	355	3,0	7,0
0160-07,5	355	3,0	11,0	355	3,0	8,0
0180-07,5	400	3,0	12,0	400	3,0	9,0
0200-07,5	400	3,0	13,0	400	3,0	10,0
0225-07,5	450	3,0	15,0	450	4,0	11,0
0250-07,5	450	3,0	17,0	450	4,0	12,0
0280-07,5	500	3,0	19,0	500	4,0	14,0
0315-07,5	500	3,0	21,0	500	5,0	15,0
0355-07,5	600	4,0	24,0	600	5,0	17,0
0400-07,5	600	4,0	26,0	600	6,0	19,0

Andere Anschlussformen auf Anfrage. **Other connections on request.**
Beispiel für Artikelnummer **Example of article number** RSD1-0110-07,5

Rundschalldämpfer

Wirklänge 1000 mm

Silencer, Circular
Effective Length 1.000 mm



Ø d	PVC-U, PVC-UV			PPs, PP, PE, PVDF		
	D	s	kg	D	s	kg
0110-10	315	3,0	10,0	315	3,0	7,0
0125-10	315	3,0	12,0	315	3,0	9,0
0140-10	355	3,0	13,0	355	3,0	9,0
0160-10	355	3,0	14,0	355	3,0	10,0
0180-10	400	3,0	16,0	400	3,0	12,0
0200-10	400	3,0	18,0	400	3,0	13,0
0225-10	450	3,0	20,0	450	4,0	15,0
0250-10	450	3,0	23,0	450	4,0	17,0
0280-10	500	3,0	25,0	500	4,0	18,0
0315-10	500	3,0	28,0	500	5,0	20,0
0355-10	600	4,0	32,0	600	5,0	23,0
0400-10	600	4,0	35,0	600	6,0	25,0


Andere Anschlussformen auf Anfrage. Other connections on request.
Beispiel für Artikelnummer Example of article number RSD1-0110-10

Rundschalldämpfer

Wirklänge 1250 mm

Silencer, Circular

Effective Length 1.250 mm



Ø d	PVC-U, PVC-UV			PPs, PP, PE, PVDF		
	D	s	kg	D	s	kg
0110-12,5	315	3,0	13,0	315	3,0	10,0
0125-12,5	315	3,0	15,0	315	3,0	11,0
0140-12,5	355	3,0	16,0	355	3,0	12,0
0160-12,5	355	3,0	18,0	355	3,0	13,0
0180-12,5	400	3,0	20,0	400	3,0	15,0
0200-12,5	400	3,0	22,0	400	3,0	16,0
0225-12,5	450	3,0	25,0	450	4,0	18,0
0250-12,5	450	3,0	28,0	450	4,0	20,0
0280-12,5	500	3,0	31,0	500	4,0	23,0
0315-12,5	500	3,0	34,0	500	5,0	25,0
0355-12,5	600	4,0	39,0	600	5,0	28,0
0400-12,5	600	4,0	44,0	600	6,0	32,0


Andere Anschlussformen auf Anfrage. Other connections on request.
Beispiel für Artikelnummer Example of article number RSD1-0110-12,5

Rundschalldämpfer

Wirklänge 1500 mm

Silencer, Circular

Effective Length 1.500 mm



Ø d	PVC-U, PVC-UV			PPs, PP, PE, PVDF		
	D	s	kg	D	s	kg
0110-15	315	3,0	15,0	315	3,0	11,0
0125-15	315	3,0	17,0	315	3,0	13,0
0140-15	355	3,0	19,0	355	3,0	14,0
0160-15	355	3,0	21,0	355	3,0	15,0
0180-15	400	3,0	24,0	400	3,0	18,0
0200-15	400	3,0	26,0	400	3,0	19,0
0225-15	450	3,0	30,0	450	4,0	22,0
0250-15	450	3,0	33,0	450	4,0	24,0
0280-15	500	3,0	37,0	500	4,0	27,0
0315-15	500	3,0	41,0	500	5,0	30,0
0355-15	600	4,0	47,0	600	5,0	34,0
0400-15	600	4,0	52,0	600	6,0	38,0

Andere Anschlussformen auf Anfrage. Other connections on request.
Beispiel für Artikelnummer Example of article number RSD1-0110-15